

Kilford & Kilford Pty Ltd

ABN 74 074 373 989

Consultants to the chemical and associated industries

DECLARATION FOR A HAZARDOUS SUBSTANCE FOR USE IN EXPORT REGISTERED MEAT AND MEAT PRODUCT ESTABLISHMENTS

Vendor name: Novartis Animal Health Australasia Pty Ltd
Vendor address: 54 Waterloo Rd
North Ryde
NSW, 2113
Vendor telephone No: 02 8815 6220
Manufacturer of Hazardous Substance: Manufactured by Novartis in PR China
NB – this product is registered with the APVMA.
Name of Hazardous Substance: **Agita 10 Fly Bait**
Category of use of Hazardous Substance **Pesticide Type D.**


Intended use of Hazardous Substance: **Miscellaneous pesticide (Insecticide/Fly Bait) for use strictly in accord with instructions on the registered label in areas where there are no prescribed goods.**

APVMA Approval number: 56316

I **Ross Henderson**, Head of Regulatory Affairs, Novartis Animal Health Australasia, declare the above hazardous substance is suitable for use in export registered meat or meat product establishments for the purposes stated in this application, that I have supplied a copy of the registered label and booklet with this declaration and acknowledge that this declaration is subject to the following conditions:

This declaration is rendered invalid by:

1. Any change in the formulation of the above hazardous substance,
2. Any change in the instructions for use of the above hazardous substance,
3. Any incorrect and/or unintended use of the above hazardous substance.

Signature of vendor  Date 31/1/2013

Declaration of qualified chemist

The hazardous substance identified above, when used in accordance with the directions on the registered label:

- is fit for the purpose for which it is intended to be used;
- will not contaminate animals, meat and meat products.

Printed name of qualified chemist: John Kilford

Qualifications of qualified chemist: MSc (Hons)

Signature of qualified chemist: 

Date: 25 January 2013

PO BOX R369, ROYAL EXCHANGE, NSW 1225 AUSTRALIA
Tel: (02)9251 4532 Fax: (02)9251 4621 Email: john@kilford.com.au

DIRECTIONS FOR USE

Restraints
DO NOT apply directly onto animals.

Remove poultry when treating poultry facilities. Apply AGITA 10 Fly Bait out of reach of children. Protect from water and rainfall. AGITA 10 can be used as follows:

Dry bait

Scatter AGITA 10 very lightly using approximately 200 g/100 m² of ground surface on areas frequented by flies e.g. floors, pathways, window sills, partitions.

Bait station

Bait stations such as shallow containers are preferable to broadcasting bait over the ground. To prepare a bait station, lightly spread 5 - 10 g of AGITA 10 in a shallow container of 20 - 30 cm in diameter. The number of placed bait stations should not exceed 200 g of product in 100 m². Bait stations should be spaced evenly throughout the area in places frequented by flies. Attractiveness of the dry bait is increased by previously wetting the surface on which AGITA 10 is placed using water, milk or beer. Do not locate containers directly over or near to food preparation surfaces.

Hang-ups

Hang-ups are preferable to broadcasting bait over the ground. Lightly scatter 5 - 10 g of AGITA 10 on approximately 25 cm x 25 cm of cardboard pre-moistened with water, milk or beer. The number of hang-ups should not exceed 200 g of product in 100 m². Hang-ups should be located evenly throughout the area in places frequented by flies.

Replace the AGITA 10 hang-up when dead flies are not seen in the surrounding area, or when the bait is no longer present.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

NOVARTIS ANIMAL HEALTH AUSTRALASIA PTY LIMITED, ACN 076 745 198, 54 Waterloo Road, NORTH RYDE NSW 2113
NOVARTIS CUSTOMER ASSISTANCE 1800 633 768 TOLL FREE from anywhere in Australia 8.30 am to 5.30 pm E.S.T. Monday to Friday

Novartis recommends that AGITA be used as part of an integrated fly control program.

Integrated fly control involves sanitary and management practices to complement chemical control methods consisting of adulticides and larvicides. The following practices help eliminate potential fly breeding sites:

- DO NOT scatter product or other non-specific insecticide onto manure as this may inhibit biological control.
- Repair leaks that contribute to wet manure (undesirable odour and an ideal breeding site for flies).
- Ensure good site drainage.
- Ensure good ventilation of treated facilities.
- Ensure any other fly-infested animal operations in close proximity do not act as a source of invading flies.
- Promptly remove broken eggs and dead birds from poultry facilities.

General Instructions

Cattle, pigs, horses and dogs can remain in buildings being treated, provided care is taken to ensure the product is not applied directly to the animals.

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

AGITA®
10 Fly Bait

ACTIVE CONSTITUENTS: 10 g/kg THIAMETHOXAM
1 g/kg Z-9-TRICOSENE

For the control of house flies (*Musca domestica*) in animal housing including dairies, cattle feedlots, abattoirs, piggeries, poultry facilities, horse stables, and kennels.

For use in commercial, industrial and domestic areas as per the directions for use.

GROUP 4A INSECTICIDE



400 g NET

Insecticide Resistance Warning:
GROUP 4A INSECTICIDE

For insecticide resistance management AGITA 10 Fly Bait is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to AGITA 10 and other Group 4 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AGITA 10 or other Group 4 insecticides are used repeatedly. The effectiveness of AGITA 10 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Novartis Animal Health Australasia Pty Limited accepts no liability for any losses that may result from failure of AGITA 10 to control resistant flies. AGITA 10 may be subject to specific resistance management strategies. For further information contact your supplier, Novartis representative or local agricultural department agronomist.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (phone 13 1126).

Material Safety Data Sheet

Additional hazard information is listed in the Material Safety Data Sheet. For a copy, phone 1800 633 768.

PROTECTION OF LIVESTOCK

Avoid contamination of animal feedstuffs and drinking water.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Harmful to birds. Toxic to bees. DO NOT contaminate streams, rivers or waterways with the product or used containers. Accessible areas or exposed surfaces treated with AGITA 10 Fly Bait may be hazardous to birds. Do not place granules or hang-ups in locations that are accessible to birds.

Disposal:

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple or preferably pressure rinse containers before disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced but may be taken separately.

Storage

Store below 30°C (Room Temperature) in the closed, original container in a well-ventilated area away from direct sunlight.

APVMA Approval No.: 56316/400g/0607

® Registered trademark of Novartis AG, Basel, Switzerland

D.O.M.:



301201

60mm deep

340mm wide

YOUR PROOF

job#: 174511
name: 02 Agita 10WG 400g
client: Novartis Aus
date: 13/04/2010

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed
 Further proof required
sign: _____
date: _____

NO responsibility will be taken for errors not noted on this signed proof.

PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

PHILSTIC® Philstic Labels Ltd
Phone +64 9 630 5822
Fax +64 9 630 0957

- Dieline
- PMS 109
- PMS 485
- PMS 2756
- Black

DIRECTIONS FOR USE

Restraints

DO NOT apply directly onto animals.

Remove poultry when treating poultry facilities. Apply AGITA 10 Fly Bait out of reach of children. Protect from water and rainfall. AGITA 10 can be used as follows:

Dry bait

Scatter AGITA 10 very lightly using approximately 200 g/100 m² of ground surface on areas frequented by flies e.g. floors, pathways, window sills, partitions.

Bait station

Bait stations such as shallow containers are preferable to broadcasting bait over the ground. To prepare a bait station, lightly spread 5 - 10 g of AGITA 10 in a shallow container of 20 - 30 cm in diameter. The number of placed bait stations should not exceed 200 g of product in 100 m². Bait stations should be spaced evenly throughout the area in places frequented by flies. Attractiveness of the dry bait is increased by previously wetting the surface on which AGITA 10 is placed using water, milk or beer.

Do not locate containers directly over or near to food preparation surfaces.

Hang-ups

Hang-ups are preferable to broadcasting bait over the ground. Lightly scatter 5 - 10 g of AGITA 10 on approximately 25 cm x 25 cm of cardboard pre-moistened with water, milk or beer. The number of hang-ups should not exceed 200 g of product in 100 m². Hang-ups should be located evenly throughout the area in places frequented by flies.

Replace the AGITA 10 hang-up when dead flies are not seen in the surrounding area, or when the bait is no longer present.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

Novartis recommends that AGITA be used as part of an integrated fly control program.

Integrated fly control involves sanitary and management practices to complement chemical control methods consisting of adulticides and larvicides. The following practices help eliminate potential fly breeding sites:

- DO NOT scatter product or other non-specific insecticide onto manure as this may inhibit biological control.
- Repair leaks that contribute to wet manure (undesirable odour and an ideal breeding site for flies).
- Ensure good site drainage.
- Ensure good ventilation of treated facilities.
- Ensure any other fly-infested animal operations in close proximity do not act as a source of invading flies.
- Promptly remove broken eggs and dead birds from poultry facilities.

General Instructions

Cattle, pigs, horses and dogs can remain in buildings being treated, provided care is taken to ensure the product is not applied directly to the animals.

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENTS: 10 g/kg THIAMETHOXAM
1 g/kg Z-9-TRICOSENE

For the control of house flies (*Musca domestica*) in animal housing including dairies, cattle feedlots, abattoirs, piggeries, poultry facilities, horse stables, and kennels.

For use in commercial, industrial and domestic areas as per the directions for use.

GROUP 4A INSECTICIDE



1 kg NET

Insecticide Resistance Warning:

GROUP 4A INSECTICIDE

For insecticide resistance management AGITA 10 Fly Bait is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to AGITA 10 and other Group 4 insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AGITA 10 or other Group 4 insecticides are used repeatedly. The effectiveness of AGITA 10 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Novartis Animal Health Australasia Pty Limited accepts no liability for any losses that may result from failure of AGITA 10 to control resistant flies. AGITA 10 may be subject to specific resistance management strategies. For further information contact your supplier, Novartis representative or local agricultural department agronomist.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (phone 13 1126).

Material Safety Data Sheet

Additional hazard information is listed in the Material Safety Data Sheet. For a copy, phone 1800 633 768.

PROTECTION OF LIVESTOCK

Avoid contamination of animal feedstuffs and drinking water.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Harmful to birds. Toxic to bees. DO NOT contaminate streams, rivers or waterways with the product or used containers. Accessible areas or exposed surfaces treated with AGITA 10 Fly Bait may be hazardous to birds. Do not place granules or hang-ups in locations that are accessible to birds.

Disposal:

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple or preferably pressure rinse containers before disposal. Dispose of rinsate by adding it to the spray tank. Do not dispose of undiluted chemical on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced but may be taken separately.

Storage

Store below 30°C (Room Temperature) in the closed, original container in a well-ventilated area away from direct sunlight.

APVMA Approval No.: 56316/1kg/0607

© Registered trademark of Novartis AG, Basel, Switzerland

Novartis Animal Health Australasia Pty Limited, ACN 076 745 198, 54 Waterloo Road, North Ryde NSW 2113

Batch No.
Date of Manufacture:

301202



NOVARTIS ANIMAL HEALTH AUSTRALASIA PTY LIMITED, ACN 076 745 198, 54 Waterloo Road, NORTH RYDE NSW 2113
NOVARTIS CUSTOMER ASSISTANCE 1800 633 768 TOLL FREE from anywhere in Australia 8.30 am to 5.30 pm E.S.T. Monday to Friday

130mm deep

YOUR PROOF

job#: 174513
name: 02 Agita 10 1kg
client: Novartis Aus
date: 13/04/2010

This proof is **NOT** a true representation of the final colours that will be printed

OK to proceed
 Further proof required
sign: _____
date: _____

NO responsibility will be taken for errors not noted on this signed proof.
PLEASE EXAMINE THIS PROOF VERY CAREFULLY AND RETURN SIGNED PROOF TO US FOR JOB TO PROCEED

PHILSTIC Philstic Labels Ltd
Phone +64 9 630 5822
Fax +64 9 630 0957

340mm wide

- Dieline
- PMS 109
- PMS 485
- PMS 2756
- Black