

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

SECTION 1: IDENTIFICATION

Product name : AQUA K-OTHRINE INSECTICIDE SPACE-SPRAY
CONCENTRATE

Product code : Article/SKU: 86281724 UVP: 06477399 Specifica-
tion:102000011793

Manufacturer or supplier's details

Company : 2022 Environmental Science AU Pty Ltd
ABN 49 656 513 923

Address : Suite 2.06, Level 2, 737 Burwood Road
Hawthorn East, Australia 3123

Telephone : (03) 7019 3839

Emergency telephone number : +61 2 9037 2994

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Not applicable


SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Skin sensitisation : Category 1

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.

AQUA K-OTHRINE INSECTICIDE SPACE- SPRAY CONCENTRATE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Supplemental Hazard Statements : AUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**
 P261 Avoid breathing spray.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves.

Response:
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
 P302 + P352 IF ON SKIN: Wash with plenty of water.
 P321 Specific treatment (see supplemental first aid instructions on this label).
 P331 Do NOT induce vomiting.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:
 P405 Store locked up.

Disposal:
 P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Emulsion, oil in water (EW)

Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	64742-94-5	>= 20 -< 30
Deltamethrin	52918-63-5	< 10
Poly(oxy-1,2-ethanediyl), α -octadecyl- ω -hydroxyl	9005-00-9	>= 1 -< 3

AQUA K-OTHRINE INSECTICIDE SPACE- SPRAY CONCENTRATE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : sneezing
The product causes irritation of eyes, skin and mucous membranes.
Cough
Skin and eye paraesthesia which may be severe
Usually transient with resolution within 24 hours
hypotension
Nausea
Vomiting
Headache
Abdominal pain
Diarrhoea
Convulsions
Dizziness
Coma
Somnolence
Tremors
tachycardia
muscle twitching
Blurred vision
lethargy
discomfort in the chest
Pulmonary oedema
anorexia
Palpitation
Airway hyperreaction

AQUA K-OTHRINE INSECTICIDE SPACE- SPRAY CONCENTRATE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Prostration
 Harmful if swallowed.
 May be fatal if swallowed and enters airways.
 May cause an allergic skin reaction.
 Repeated exposure may cause skin dryness or cracking.
 This product contains a pyrethroid.
 Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : There is no specific antidote available.
 In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable.
 Oxygen or artificial respiration if needed.
 Initial treatment: symptomatic.
 Keep respiratory tract clear.
 In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens.
 Monitor: respiratory and cardiac functions.
 Contraindication: atropine.
 Recovery is spontaneous and without sequelae.
 Contraindication: derivatives of adrenaline.
 If not effective, phenobarbital may be used.
 In case of skin irritation, application of oils or lotions containing vitamin E may be considered.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
 Bromine compounds
 Nitrogen oxides (NO_x)

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

AQUA K-OTHRINE INSECTICIDE SPACE- SPRAY CONCENTRATE

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

- Advice on safe handling** : Do not get on skin or clothing.
Avoid breathing spray.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
- Conditions for safe storage** : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C10-C13, aromatics, <1% naphthalene	64742-94-5	TWA (Mist)	5 mg/m ³	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

- Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the rec-

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

ommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm

Remarks

: Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

: Wear the following personal protective equipment:
Safety glasses

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : white

Odour : characteristic, strong

Odour Threshold : No data available

pH : 3.5 - 5.0 (23 °C)
Concentration: 100 %

Melting point/freezing point : No data available

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : 7 %(V)
Solvent

Lower explosion limit / Lower flammability limit : 0.8 %(V)
Solvent

Vapour pressure : No data available

Relative vapour density : 1.00
Solvent

Density : 1.00 g/cm³ (20.00 °C)

Solubility(ies)
Water solubility : completely miscible

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : > 450 °C
Solvent

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : 3. mm²/s (40 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 25.70 mN/m, 40 °C

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 301 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Deltamethrin:

Acute oral toxicity : LD50 (Rat, female): 87 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 0.6 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild skin irritation

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Assessment : Repeated exposure may cause skin dryness or cracking.

Deltamethrin:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild eye irritation

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

Deltamethrin:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Poly(oxy-1,2-ethanediyl), α -octadecyl- ω -hydroxyl:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : positive
Remarks : Based on data from similar materials

: Buehler Test
: Skin contact
: Guinea pig
: OECD Test Guideline 406
: negative

Assessment : Probability or evidence of skin sensitisation in humans

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Deltamethrin:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Deltamethrin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 473
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OECD Test Guideline 482
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Deltamethrin:**

Species : Rat
Application Route : Ingestion
Method : OECD Test Guideline 453
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Deltamethrin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

STOT - repeated exposure

Not classified based on available information.

Components:**Deltamethrin:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity**Components:****Deltamethrin:**

Species : Dog
NOAEL : 1 mg/kg
LOAEL : 10 mg/kg
Application Route : Ingestion
Exposure time : 52 Weeks
Method : OECD Test Guideline 452

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.42 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0131 µg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50: > 9.10 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Components:**Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): > 0.1 - 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version 1.0 Revision Date: 06.09.2024 SDS Number: 11436162-00001 Date of last issue: -
Date of first issue: 06.09.2024

Deltamethrin:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.15 µg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Gammarus fasciatus (freshwater shrimp)): 0.0003 µg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): > 0.47 mg/l
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.017 µg/l
Exposure time: 260 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0041 µg/l
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 0.3 mg/l
Exposure time: 3 h

Poly(oxy-1,2-ethanediyl), α-octadecyl-ω-hydroxyl:**Ecotoxicology Assessment**

- Acute aquatic toxicity : Toxic to aquatic life.

Persistence and degradability**Components:****Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

- Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Deltamethrin:

- Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential**Components:****Hydrocarbons, C10-C13, aromatics, <1% naphthalene:**

- Partition coefficient: n-octanol/water : log Pow: < 4
Remarks: Calculation

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Deltamethrin:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,400

Partition coefficient: n-octanol/water : log Pow: 6.4

Poly(oxy-1,2-ethanediyl), α -octadecyl- ω -hydroxyl:

Partition coefficient: n-octanol/water : log Pow: 3.60

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines.
Do not dispose of waste into sewer.

Contaminated packaging : Follow advice on product label and/or leaflet.
Empty containers retain residue and can be dangerous.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Deltamethrin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

AQUA K-OTHRINE INSECTICIDE SPACE- SPRAY CONCENTRATE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

(Deltamethrin)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Deltamethrin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Deltamethrin)

Class : 9
Packing group : III
Labels : 9
Hazchem Code : •3Z
Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 6 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use

AQUA K-OTHRINE INSECTICIDE SPACE- SPRAY CONCENTRATE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

WHO-classification
Classification : II (Moderately hazardous)

Product Type : Insecticides, acaricides and products to control other arthropods

Active substance : 20 g/l
Deltamethrin

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 06.09.2024

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

**AQUA K-OTHRINE INSECTICIDE SPACE-
SPRAY CONCENTRATE**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06.09.2024	11436162-00001	Date of first issue: 06.09.2024

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN